

LOAD BREAK TOOLS


LOAD-RANGER® FLEX-LT™

A Revolutionary New Design

The LOAD-RANGER® FLEX-LT™ is the latest innovation in load break tools. With a patent-pending rotating FLEX head, the innovative design of the LOAD-RANGER® FLEX-LT™ allows a much broader range of operation than traditional load break tools, and greatly reduces or eliminates binding positions and tool stresses while improving flexibility when attaching the tool to an arcing horn.

The LOAD-RANGER® FLEX-LT™ is designed with linemen in mind. Coupled with the rotating FLEX head, the No-Pinch red reset trigger is located prominently on the side of the tool, making it easier to reset while wearing gloves.

All tools are built with heavy duty components that are machined, not cast. The tool has been rigorously tested and will stand up to repeated use. The LOAD-RANGER® FLEX-LT™ is specifically engineered to be inspected and serviced in minutes using only 2 tools, saving time and money.







Item Number:	Description:
USLR-FLEX-1	27 kV LOAD-RANGER FLEX-1 WITHOUT COUNTER
USLR-FLEX-1-H	27 kV LOAD-RANGER FLEX-1 WITH HARD CASE
USLR-FLEX-1-C	27 kV LOAD-RANGER FLEX-1 WITH COUNTER
USLR-FLEX-1-C-H	27 kV LOAD-RANGER FLEX-1 WITH COUNTER & HARD CASE
USLR-FLEX-1-P-H	27 kV LOAD-RANGER FLEX-1 WITH PADMOUNT ARM & EXTENDED HOOD
USLR-FLEX-2	38 kV LOAD-RANGER FLEX-2 WITHOUT COUNTER
USLR-FLEX-2-H	38 kV LOAD-RANGER FLEX-2 WITH HARD CASE
USLR-FLEX-2-C	38 kV LOAD-RANGER FLEX-2 WITH COUNTER
USLR-FLEX-2-C-H	38 kV LOAD-RANGER FLEX-2 WITH COUNTER & HARD CASE

USLR-FLEX-1

Options:





Padmount Arm & Extended Hood

Contact customer service or visit our website for a complete list of options.



USLR-FLEX-2

(828)-323-8914